Subject Index

Absarokite 334f.
actinolite 53, 158, 219, 240
Al, hydrothermal transport 438f.
albite 53, 108, 219, 240, 490
albite – CO_2 299
alkali basalt 7f., 74f.
alkali deficiency, metamorphic micas 317f.
alkali feldspar 77, 170, 490
alkali olivine basalt 7f.
Al-silicate melts, H_2O solubility 320ff.
amphibole 78, 185
–, inclusion in pyrope 390
amphibole dehydration, andesitic magma 292f.
amphibolite 20
anchimetamorphism 105f., 352f.
andalusite, rhyolite inclusions 463
andesite 7f., 160, 334, 362f.
–, genesis, Aleutians 378ff.
–, magma, subsolidus amphibole dehydration 292f.
andradite 435
anorthite 43
anorthite – CO_2 300
anorthoclase 77
anorthosite 33
antigorite, crystal structure 148
–, polysomatism 147f.
apatite 84, 435, 490
arc volcanism 7ff.
Ar-dating, cleavage formation in metatuffs 354f.
armalcolite 264
assimilation, Patmos lavas 287
–, rhyolite contamination 463f.
augite 67, 170, 335, 407, 511
–, oikocrysts, cumulates 228f.
awaruite 149

Baddeleyite 264f.
banakites 334f.
basaltic andesite 334f.
basalts, altered, element mobility 525, 527
–, high-Al, island arcs 417f.
–, island arcs, phase relations 7ff.
–, olivine zoning 457
basanite 74
biotite 314, 435, 465, 490
blueschist, retrograde metamorphism 237ff.
boninite 171f.
–, Guam 497ff.
–, Troodos 509ff.
boninite series, Mariana Trench, petrology 361ff.
boninitic andesites 363f.
boninitic dacites 363f.
bronzite 170, 232, 511
brucite 148
buchite 1

C, silicate liquids 297ff.
calc-alkaline basalts 7f.
calc-alkaline series, Guam 497ff.
calcite 53, 108, 158, 310, 435, 444
Caledonides, Scandinavia, geochronology 199, 208
carbonates, mantle origin 389f.
carbonatites 433f.
carpholite 442f.
cation interdiffusion, garnets 535, 537
cerasite 1
chadacrysts, plagioclase in cumulates 229f.
chalcopyrite 21
chemical analysis
–, albite, Antarctic granite 490
–, alkali basalt, Trans-Pecos Prov. 74
–, amphibole, boninite series 366
–, –, inclusions in garnets 391
–, –, intercumulus 257
–, andesite, Cold Bay 380
–, basalt, Cold Bay 380
–, basanite, Trans-Pecos Prov. 74
–, biotite, Antarctic granite 490
–, –, Japanese metapelites 315
–, –, Lipari lavas 466
–, blueschist, Sifnos 240
–, boninites 177, 368
–, boninitic norite dyke 173, 177
–, chlorite, Antarctic granite 490
–, –, inclusions in garnet 391
–, chromite, Fiskenaesset norite 172
–, –, komatiites 220
–, clinopyroxenes 68
–, –, boninite series 366
–, –, komatiites 220
–, –, mafic dykes 410
–, –, ophiolites 58
–, –, shoshonites 336
–, –, trachyandesite 87
–, –, Trans-Pecos Prov. volcanics 78
–, comendite, Trans-Pecos Prov. 77
–, cordierite, Lipari lavas 465
–, Cr-spinel, mafic intrusion 255
–, dolerite dyke 174
–, dolomite, inclusion in garnet 391
–, epidote, Antarctic granite 490
–, gabbro, ophiolites 55
–, garnets, Lipari lavas 465
–, –, Navajo volcanics 391
–, glass, Ayios Mamas lavas 511
–, –, boninite series 366
–, granite, Antarctica 492
–, granulites, Fiordland 186
–, greenschists, Sifnos 242
–, hawaiite, Trans-Pecos Prov. 75
–, hercynite, Lipari lavas 466
–, heulandite 44
–, high-Al basalts 421,
–, hornblende, mafic dykes 410
–, ilmenite, Lipari lavas 466
–, laumontite 44
–, lavas, Aleutians 9
–, Ayios Mamas 512
–, –, Guam 499
–, –, Lipari 462
–, –, Unalaska 9
–, magnesite, inclusions in garnets 391
–, –, magnetite, Lipari lavas 466
–, –, shoshonite 336
–, mica, inclusions in garnets 391
–, muscovites, Japanese metapelites 315
–, nephelinite, Trans-Pecos Prov. 74
–, norites, Fiskenaesset 177
–, olivine, Fiskenaesset norite 172
–, –, inclusion in garnet 391
–, –, komatiites 220
–, –, mafic dykes 410
–, olivine basalt 421
–, olivine phenocrysts, Trans-Pecos volcanics 78
–, ophiolites, Boil Mts. 54
–, orthopyroxene, boninite series 366
–, –, intercumulus 257
–, –, mafic dykes 410
–, –, shoshonite 336
–, phenocrysts, Ayios Mamas lavas 515
–, phlogopite, Cr-spinel inclusions 258
–, picrite 421
–, plagioclase, Antarctic granite 490
–, –, boninite series 366
–, –, Cr-spinel inclusions 258
–, –, mafic dykes 410
–, –, shoshonite 336
–, –, trachyandesite 87
–, –, Trans-pecos volcanics 78
–, pyroxenes, Fiskenaesset norite 172
–, –, Lipari lavas 467
–, quartz syenite, Trans-Pecos Prov. 76
–, quartz trachyte, Trans-Pecos Prov. 76
–, rhyolites, Trans-Pecos Prov. 77, 88
–, sphene, Antarctic granite 491
–, spinel, boninite series 366
–, –, inclusions in garnets 391
–, –, mafic dykes 410
–, syenite, Trans-Pecos Prov. 75
–, tonalite, ophiolites 55
–, trachyandesite, Trans-Pecos Prov. 75
–, trachybasalt, Trans-Pecos Prov. 75
–, trachyte, Trans-Pecos Prov. 75
–, ultramafic dykes, Cuthbert Lake 411
chlorite 53, 108, 149, 219, 314, 442, 490
chloritoid 444
chromite 171
–, inclusions 251ff.
chrysotile 147
cleavage dating, anchimetamorphism 352f.
clinoenstatite 364
clinohumite 149
clinoptilolite 43
clinopyroxene 59f., 66f., 77f., 170f., 185, 363f., 381, 406, 462f.
–, amphibole dehydration 294
–, komatiites 219f.
–, phenocrysts 510
comendite 77
conglomerate 97
contamination, mantle magmas 19f.
–, rhyolites 462ff.
cookeite 444
cordierite, hornfels, sector trilling 1f.
–, lavas 464

Cr-spinel 406
–, cumulates, inclusions 252f.
crustal contamination, shoshonite formation 333f.
crustal fusion, rhyolite contamination 462f.
Cr variation, komatiites 220
crystal fractionation, andesite petrogenesis 385f.
–, boninites 369f.
–, high-Al basaltic magma 419
crystallization, olivines 454f.
cumulates, Cuthbert Lake dykes 406f.
–, komatiites 219f.
–, olivine/Cr-spinel, Laouni intrusion 252f.
–, troctolitic, pyroxene oikocrysts 228f.

Dacite 100, 362f.
diagenesis, pelites 105f.
diamond, thermobarometry 476f.
diaspore 446
differentiation index, lavas 282
diffusion, metamorphism 399f.
diorite 20, 32
diopside 148, 310, 435
dislocations 151
–, grain boundaries 137
disorder 151
dissolution mechanism, H_2O in melts 327f.
dolerite dykes 169f.
dolomite 310
–, ferroan, greenstones 158
–, inclusion in pyrope 390
dykes, differentiation 405ff.
–, noritic 169ff.

Eclogite 239
–, high-Al basalt source 418
element mobility, basalts and komatiites 525, 527
epidote 53, 219, 240, 490
Eu anomaly, high-Al basalts 421
–, Trans-Pecos volcanics 81

F distribution, hydrous silicates 305f.
Fe–Mn partitioning, garnet/ilmenite 116ff., 539
–, activity-composition relations 121
–, thermodynamics 117
ferropseudobrookite 266
Fe–Ti phases, Zr content 266f.
Finero event, Ivrea zone 40
fluid infiltration, retrograde metamorphism 237f.
F–OH substitution, hydrous silicates 305ff.
forsterite 148
fractional crystallization 7f.
–, Guam lavas 504
–, Patmos lavas 284f.
–, rhyolites 463
–, shoshonites 337f.
fractionation, magmas, Pearce diagrams 530f.
fractionation equations, olivine zoning patterns 452
fractionation model, Ayios Mamas lavas 517f.

Gabbro 20, 32, 51, 462f., 492f.
gabbronorite 406
garnets 20, 464
–, interdiffusion 535, 537
garnet-ilmenite, Fe–Mn partitioning and thermometry 121f., 539
garnet lherzolite, kimberlite xenoliths, thermobarometry 473ff.
geikielite 149
geochronology, Antarctic granites 492ff.
–, Archean greenstones 96
–, meta-tuffs 353f.
geothermometry, Fe–Mn partitioning between garnet-ilmenite 121f., 539
–, two-pyroxenes, experimental investigation 66f.
glass, Ayios Mamas lavas 511f.
–, Guam lavas 500
–, Lipari volcanics 461f.
glaucophane 240
glomerocrysts, trachyandesite 87
gneiss 20, 184, 405
grain boundary migration, calcite 127ff.
grain-scale stress, kinetics of metamorphism 397f.
granite 100
–, Antarctica 489ff.
granodiorite 160
granophyre, Antarctic gabbro 492
granulites 20, 405
–, phanerozoic belts, Sm–Nd and Rb–Sr data 183ff.
graphite 20
graphite/diamond, thermobarometry 476f.
greenschist 238f.
greenstone 51
greenstone belts 156ff.
–, Lu–Hf data 93ff.
greywacke 160

Hauyne 435
hawaiite 75
hercynite 464
heulandite-laumontite equilibrium 43ff.
Hf isotope ratios, greenstones 93ff.
high-Al basalts, island arcs 417ff.
H_2O, Al-silicate melts 320ff.
hornblende 185, 406
hornblendite 185
hornfels, cordierite sector trilling 1f.
hydrothermal transport, high-P 438f.
hypersthene 335, 406

Igneous fractionation, Pearce diagrams 530f.
ijolite, Rb–Sr data 435
illite crystallinity 105f.
illite polytypes, metamorphic transformation 105
illite substitution, metamorphism 313f.
ilmenite 253, 466, 490
–, lunar, Zr contents 264
inclusions, minerals in Cr-spinels 252ff.
indialite 1
interdiffusion, Al–Si garnets 535, 537
island arc basalts 7ff.
island arcs, high-Al basalt origin 417ff.
–, primitive lavas 425f.

Jadeite 240
jadeite gneiss 238

Kaolinite 442f.
K–Ar dating, anchizonal metapelites 105ff.
kennedyite 251f.
K-feldspar 314
–, amphibole dehydration 294
kimberlites, xenolith thermobarometry 473ff.
kinzigite, Ivrea zone 20f.
komatiites, element mobility 525, 527
–, types and geochemistry, Ontario 218ff.

Laumontite, equilibrium with heulandite 43f.
lavas, Aleutians 7f.
–, Ayios Mamas 510f.
–, Guam 497ff.
–, Patmos 280f.
lawsonite 43
layered intrusions 178
leucite tephrite 463
leucogabbro 32, 187
lizardite 147
Lu–Hf systematics, Archean crust 93ff.
lunar petrology 275f.

Magma mixing, andesite genesis 383f.
magnesite, inclusion in pyrope 390
magnetite 79, 149, 219, 336f., 462, 490, 511
mantle, thermobarometry 473ff.
mantle source, Ivrea zone magma 19f.
–, lavas 505, 521
marble 247
melilite 435
melting experiments, basalt petrogenesis 10f.
melts, H_2O dissolution mechanism 327f.
meta-argillite, Vanoise 443f.
metadolerite dykes 169
metals, grain boundary migration 129
metamorphism, kinetics 397ff.
–, low-T/high-P 443ff.
–, serpentinites 147f.
metapelite, inclusion in rhyolites 460ff.
–, –, P–T estimates 469
metasomatic loss, olivine differentiation in magmas 531
Mg, hydrothermal transport 438f.
mica 108f.
–, inclusion in pyrope 39f.
–, interlayer cation deficiency, metamorphic rocks 313f.
microcline 490
migration, grain boundary, calcites 127f.
monticellite 435
monzonite 185
muscovite 105, 158, 314f., 490

Na-phlogopite 251f.
Nd isotopic data, Guam lavas 500
Nd–Sr data, Ivrea zone 31ff.
nepheline 80
nephelinite 74
norite dykes, SW-Greenld. 169ff.
nunataks 488

Oikocrysts, hornblende in dykes 407
oikocrysts, pyroxenes in troctolites 228ff.

O isotope composition, Sifnos blueschists 247
okaite, Rb–Sr data 435
olivine 77, 147, 149, 170f., 219f., 363f., 406
–, andesite 381
–, inclusions in pyrope 389f.
–, phenocrysts 510
–, zoning patterns 451f.
olivine boninites 363
olivine fractionation, basalts 15
olivine tholeiite 7f.
omphacite 240
ophiolites 251
–, Boil Mtns. 51f.
–, Troodos 509ff.
orthocumulate, olivine/Cr-spinel 253
orthopyroxene 66f., 170f., 185, 381, 406f., 462f., 480
–, amphibole dehydration 294
–, boninites 363f.
–, chromite inclusions 251f.
–, phenocrysts 510

Paragneiss 196ff., 205ff.
paragonite 241
pargasite 253
partial fusion, mantle 15
partial melting, Ayios Mamas lavas 514ff.
–, boninites 371f.
–, granulites 193
–, high-Al basalts 428
Pb isotopic data 500
–, Ivrea/Ceneri zone mafic complexes 19ff.
Pearce diagrams, igneous fractionation 529f.
pegmatite 490f.
pentlandite 149
peridotite 20, 32, 406
perovskite 435
phengite 318
phenocrysts, Ayios Mamas lavas 510f.
–, boninites 363f.
–, high-Al basalts 420
–, shoshonites 335f.
–, Trans-Pecos volcanics 77f.
phlogopite, chromite inclusions 251f.
–, F–OH substitution 305f.
–, metasomatism, Ivrea zone 35
phonolite 280
piemontite 158
pigeonite 67, 170, 511
pillow lavas 510
plagioclase 53, 77f., 170f., 185, 314, 335, 363f., 407, 462f., 500
–, amphibole dehydration 294
–, andesites 380
–, chromite inclusion 251f.
–, cumulates 228ff., 253
–, high-Al basalt 419
–, phenocrysts 510
plate boundary magmas 279ff.
polymorphism, cordierite 1
polysomatism, antigorite 147f.
primocrysts, norite 171
pyrite 21
pyrope, carbonate inclusions 389f.
–, mineral inclusions 389f.
pyrophyllite 444
pyroxenite 33, 406
pyrrhotite 20, 149

Quartz 20, 43, 53, 108, 170, 185, 240, 314, 335, 490f.
–, amphibole dehydration 294
–, hydrothermal 438ff.
quartz syenite 76
quartz trachyte 76

Rb–Sr data, Abitibi greenstone belt 158f.
–, granulites 183ff.
–, Oka carbonatite 435
REE, boninites 369, 499
–, granulites 187
–, high-Al basalts 425f.
–, komatiites 223f.
–, norite dykes 175
–, ophiolites 56
–, Patmos lavas 283
–, Trans-Pecos volcanics 81f.
rhyolites 77, 160, 280
–, contaminated 460ff.
rutile 251f.

Sanidine 77, 335
sanidine-CO_2 301
scheelite 158
sector drilling, metamorphic minerals 1f.
serpentines 219
–, phase relations 148
serpentinite 51, 147f.
shoshonite formation 333ff.
Si, hydrothermal transport 438f.
sillimanite 20, 314
–, rhyolite inclusions 463
smectite 511
Sm–Nd data, Caledonian Seve nappes 201f.
–, granulites 183ff.
–, Guam lavas 500
–, Ivrea zone 33f.
–, Oka carbonatite 435
solid solutions, grain boundary migrations 127f.
–, zeolites 43
sphene 240, 465
Sr, carbonatites 433f.
Sr isotopic data, Abitibi greenstones 158f.
Sr–Nd data, shoshonites 340
statistics, Pearce diagrams 529f.
stilbite 43
stress, influence on diffusion 400f.
stronalite 20
subduction 7, 280
–, Mariana arc 504
–, Troodos 521
subsolidus phase relations, system Zr–Fe–Ti–O 266f.
substitutions, F–OH in hydrous silicates 305ff.
–, micas 313
sulfides, Ivrea mafic complex 21f.
syenite 75
system, $CaAl_2Si_2O_8$–CO_2 298f.
–, $KAlSi_3O_8$–CO_2 302
–, $NaAlSi_3O_8$–CO_2 298f.
–, Zr–Fe–Ti–O, phase relations 264ff.

Talc 147
–, F–OH substitution 305f.
Th, Archean greenstone zircons 95
–, Caledonian gneiss 208
thermobarometry, carbonate inclusions in pyrope 392
thermodynamics, F–OH substitution, hydrous silicates 306f.
–, heulandite-laumontite equilibrium 46f.
tholeiites 160
–, Guam 497ff.
–, Troodos 509ff.
titanomagnetite 381
tonalite 51, 100
tourmaline 158
trace elements, andesites 380
–, Ayios Mamas lavas 513
–, boninites 372
–, granulites 186f.
–, Guam lavas 499
–, high-Al basalts 423f.
–, komatiites 221
–, norite dykes 174
–, ophiolites 54
–, Patmos lavas 281f.
–, shoshonites 338f.
–, Trans-Pecos volcanics 74f.
trachyandesite 75
trachybasalt 75, 280
trachyte 75, 280
tranquillityite 264
transport, phase interfaces 398f.
tremolite 148, 219
–, F–OH substitution 305f.
trilling, hornfels cordierites 1f.
troilite 21f.
trondhjemite 158
tuff, cleavage dating 352f.
twinning, antigorites 151
–, cordierite 1

U, Archean greenstone zircons 95
ulvöspinel, Zr contents 269
U–Th–Pb zircon data, Caledonian Seve nappes 196ff., 205ff.

Vein mineralization, high-P 438ff.

Wairakite 43
wobbling 151
wüstite 269

Xenoliths, garnet lherzolite in kimberlites, thermobarometry 473ff.

Yugawaralite 43

Zeolites 435
ZFT phase, $ZrFeTiO_5$, synthesis and stability 271ff.
zirkelite 264
zircons 80, 264f.
–, Archean crust, Lu–Hf data 93ff.
–, paragneiss dating 197f.
zirconolite 264
zoning, granitic plagioclase 490
zoning patterns, olivines 451ff.
zoning profiles, olivines 454f.
Zr, lunar rocks 264
Zr/Ti ratios, synthetic Fe–Ti phases, T dependence 271

Contributions to Mineralogy and Petrology

Volume 97 1987

Executive Editors: **I.S.E. Carmichael J. Hoefs**

Editorial Board

R. Binns North Ryde, Australia
J. Ferry Baltimore, Maryland
T. Grove Cambridge, Massachusetts
I. Parsons Aberdeen, Scotland
Z.E. Peterman Lakewood, Colorado
W. Schreyer Bochum-Querenburg, F. R. G.
J. Touret Amsterdam, The Netherlands
V. Trommsdorff Zürich, Switzerland
K.H. Wedepohl Göttingen, F. R. G.

Springer International

Contributions to Mineralogy and Petrology

Founded in 1947 by O.H. Erdmannsdörffer. Volume 1 (1949) edited by O.H. Erdmannsdörffer as "Heidelberger Beiträge zur Mineralogie und Petrographie". Continued from Volume 6 (1957) as "Beiträge zur Mineralogie und Petrographie", edited by C.W. Correns. From Volume 12 (1966) to Volume 40 (1973) published as "Contributions to Mineralogy and Petrology/Beiträge zur Mineralogie und Petrologie", edited by C.W. Correns and F.J. Turner. Beginning with Volume 41 (1973) "Contributions to Mineralogy and Petrology". As of Volume 43 (1974) edited by C.W. Correns and I.S.E. Carmichael. As of Volume 74 (1980) edited by I.S.E. Carmichael and J. Hoefs.

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, or a minimum of US $ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0010-7999, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printers: Universitätsdruckerei H. Stürtz AG Würzburg

© Springer-Verlag GmbH & Co. KG Berlin Heidelberg 1987
Printed in Germany

Contents

Abercrombie, H.J., Skippen, G.B., Marshall, D.D.: F–OH substitution in natural tremolite, talc, and phlogopite 305–312
Allsopp, H.L., → Barton, J.M. Jr., et al. 488–496
Arndt, N., → Cattell, A. 218–227
Auret, S.H., → Barton, J.M. Jr., et al. 488–496
Banno, S., → Wang, G.-F. 313–319
Barker, D.S.: Rhyolites contaminated with metapelite and gabbro, Lipari, Aeolian Islands, Italy: products of lower crustal fusion or of assimilation plus fractional crystallization? 460–472
Barton, J.M. Jr., Klemd, R., Allsopp, H.L., Auret, S.H., Copperthwaite, Y.E.: The geology and geochronology of the Annandagstoppane granite, Western Dronning Maud Land, Antarctica 488–496
Barton, M., → Wyers, G.P. 279–291
Bell, K., → Wen, J., et al. 433–437
Blenkinsop, J., → Wen, J., et al. 433–437
Bloomer, S.H., Hawkins, J.W.: Petrology and geochemistry of boninite series volcanic rocks from the Mariana trench 361–377
Boettcher, A., Luth, R.W., White, B.S.: Carbon in silicate liquids: the systems $NaAlSi_3O_8-CO_2$, $CaAl_2Si_2O_8-CO_2$, and $KAlSi_3O_8-CO_2$ 297–304
Bohlen, S.R., → Nabelek, P.I., et al. 66–71
Bradshaw, J.Y., → McCulloch, M.T., et al. 183–195
Brophy, J.G.: The Cold Bay Volcanic Center, Aleutian Volcanic Arc. II. Implications for fractionation and mixing mechanism in calcalkaline andesite genesis 378–388
Carswell, D.A., Gibb, F.G.F.: Garnet lherzolite xenoliths in the kimberlites of northern Lesotho: revised $P-T$ equilibration conditions and upper mantle Palaeogeotherm 473–487
Cattell, A., Arndt, N.: Low- and high-alumina komatiites from a Late Archaean sequence, Newton Township, Ontario 218–227
Cho, M., Maruyama, S., Liou, J.G.: An experimental investigation of heulandite-laumontite equilibrium at 1000 to 2000 bar P_{fluid} 43–50
Claesson, S.: Isotopic evidence for the Precambrian provenance and Caledonian metamorphism of high grade paragneisses from the Seve Nappes, Scandinavian Caledonides. I. Conventional U–Pb zircon and Sm–Nd whole rock data 196–204
Claesson, S., → Williams, I.S. 205–217
Coish, R.A., Rogers, N.W.: Geochemistry of the Boil Mountain ophiolitic complex, northwest Maine, and tectonic implications 51–65
Compagnoni, R., → Mellini, M., et al. 147–155
Copperthwaite, Y.E., → Barton, J.M. Jr., et al. 488–496
Cottin, J.Y., → Lorand, J.P. 251–263
Crawford, A.J., Falloon, T.J., Eggins, S.: The origin of island arc high-alumina basalts 417–430
Cumming, G.L., Köppel, V., Ferrario, A.: A lead isotope study of the northeastern Ivrea Zone and the adjoining Ceneri zone (N-Italy): evidence for a contaminated subcontinental mantle 19–30
Dallmeyer, R.D., → Reuter, A. 352–360
Eggins, S., → Crawford, A.J., et al. 417–430
Elphick, St.C., → Ganguly, J., et al. 537–538
Evans, B., → Hay, R.S. 127–141
Falloon, T.J., → Crawford, A.J., et al. 417–430
Farquhar, R.M., → Smith, P.E., et al. 93–104
Ferrario, A., → Cumming, G.L., et al. 19–30
Flower, M.F.J., Levine, H.M.: Petrogenesis of a tholeiite-boninite sequence from Ayios Mamas, Troodos ophiolite: evidence for splitting of a volcanic arc? 509–524
Freer, R.: A discussion of "Experimental determination of cation diffusivities in aluminosilicate garnets. I. Experimental methods and interdiffusion data" by S.C. Elphick, J. Ganguly and T.P. Loomis 535–536
Fryer, B.J., → Kerrich, R., et al. 156–168
Ganguly, J., Loomis, T.P., Elphick, St.C.: Experimental determination of cation diffusivities in aluminosilicate garnets: reply to the discussion by Freer of Part I, and correction of Mn tracer diffusion data in Part II 537–538
Gibb, F.G.F., → Carswell, D.A. 473–487
Goffé, B., Murphy, W.M., Lagache, M.: Experimental transport of Si, Al and Mg in hydrothermal solutions: an application to vein mineralization during high-pressure, low-temperature metamorphism in the French Alps 438–450
Gust, D.A., Perfit, M.R.: Phase relations of a high-Mg basalt from the Aleutian Island Arc: Implications for primary island arc basalts and high-Al basalts 7–18
Hall, R.P., Hughes, D.J.: Noritic dykes of southern West Greenland: early Proterozoic boninitic magmatism 169–182
Hawkins, J.W., → Bloomer, S.H. 361–377
Hay, R.S., Evans, B.: Chemically induced grain boundary migration in calcite: temperature dependence, phenomenology, and possible applications to geologic systems 127–141
Hees, E. van, → Kerrich, R., et al. 156–168
Hickey-Vargas, R., Reagan, M.K.: Temporal variation of isotope and rare earth element abundances in volcanic rocks from Guam: implications for the evolution of the Mariana Arc 497–508
Hofmann, A.W., → Voshage, H., et al. 31–42
Holloway, J.R., → McMillan, P.F. 320–332
Hughes, D.J., → Hall, R.P. 169–182
Hughes, J.M., → Mazzone, P., et al. 292–296
Hunziker, J.C., → Voshage, H., et al. 31–42
International Mineralogical Association (IMA): Constitution as of October 1, 1986 143–146
International Mineralogical Association (IMA): Council, Commissions and Working Groups, National Representatives 431–432
Kerrich, R., Fryer, B.J., King, R.W., Willmore, L.M., Hees, E. van: Crustal outgassing and LILE enrichment in major lithosphere structures, Archean Abitibi greenstone belt: evidence on the source reservoir from strontium and carbon isotope tracers 156–168
King, R.W., → Kerrich, R., et al. 156–168
Kitamura, M., Yamada, H.: Origin of sector trilling in cordierite in Daimonji hornfels, Kyoto, Japan 1–6
Klemd, R., → Barton, J.M. Jr., et al. 488–496
Köppel, V., → Cumming, G.L., et al. 19–30
Lagache, M., → Goffé, B., et al. 438–450
Lattard, D.: Subsolidus phase relations in the system Zr-Fe-Ti-O in equilibrium with metallic iron. Implications for lunar petrology 264–278
Levine, H.M., → Flower, M.F.J. 509–524
Lindsley, D.H., → Nabelek, P.I., et al. 66–71
Liou, J.G., → Cho, M., et al. 43–50
Loomis, T.P., → Ganguly, J., et al. 537–538
Lorand, J.P., Cottin, J.Y.: Na- Ti- Zr- H_2O-rich mineral inclusions indicating postcumulus chrome-spinel dissolution and recrystallization in the Western Laouni mafic intrusion, Algeria 251–263
Luth, R.W., → Boettcher, A., et al. 297–304
Marshall, D.D., → Abercrombie, H.J., et al. 305–312
Maruyama, S., → Cho, M., et al. 43–50
Mathison, C.I.: Pyroxene oikocrysts in troctolitic cumulates – evidence for supercooled crystallisation and postcumulus modification 228–236
Matthews, A., → Schliestedt, M. 237–250

Mattison, G.D., → Nelson, D.O., et al. 72–92
Mazzone, P., Stewart, D.C., Hughes, J.M.: Sub-solidus dehydration of amphiboles in an andesitic magma 292–296
McCulloch, M.T., Bradshaw, J.Y., Taylor, S.R.: Sm–Nd and Rb–Sr isotopic and geochemical systematics in Phanerozoic granulites from Fiordland, Southwest New Zealand 183–195
McMillan, P.F., Holloway, J.R.: Water solubility in aluminosilicate melts 320–332
Meen, J.K.: Formation of shoshonites from calcalkaline basalt magmas: geochemical and experimental constraints from the type locality 333–351
Mellini, M., Trommsdorff, V., Compagnoni, R.: Antigorite polysomatism: behaviour during progressive metamorphism 147–155
Murphy, W.M., → Goffé, B., et al. 438–450
Nabelek, P.I., Lindsley, D.H., Bohlen, S.R.: Experimental examination of two-pyroxene graphical thermometers using natural pyroxenes with application to metaigneous pyroxenes from the Adirondack Mountains, New York 66–71
Nelson, D.O., Nelson, K.L., Reeves, K.D., Mattison, G.D.: Geochemistry of Tertiary alkaline rocks of the Eastern Trans-Pecos Magmatic Province, Texas 72–92
Nelson, K.L., → Nelson, D.O., et al. 72–92
O'Neill, H.St.C., → Powncby, M.I., et al. 116–126
O'Neill, H.St.C., → Powncby, M.I., et al. (Erratum) 539
Paktunç, A.D.: Differentiation of the Cuthbert Lake ultramafic dikes and related mafic dikes 405–416
Pearce, T.H.: The identification and assessment of spurious trends in Pearce-type ratio variation diagrams: a discussion of some statistical arguments 529–534
Pearce, T.H.: The theory of zoning patterns in magmatic minerals using olivine as an example 451–459
Perfit, M.R., → Gust, D.A. 7–18
Powncby, M.I., Wall, V.J., O'Neill, H.St.C.: Fe–Mn partitioning between garnet and ilmenite: experimental calibration and applications 116–126
Powncby, M.I., Wall, V.J., O'Neill, H.St.C.: Fe–Mn partitioning between garnet and ilmenite: experimental calibration and applications (Erratum) 539
Reagan, M.K., → Hickey-Vargas, R. 497–508
Reeves, K.D., → Nelson, D.O., et al. 72–92
Reuter, A.: Implications of K–Ar ages of whole-rock and grain-size fractions of metapelites and intercalated metatuffs within an anchizonal terrane 105–115
Reuter, A., Dallmeyer, R.D.: $^{40}Ar/^{39}Ar$ dating of cleavage formation in tuffs during anchizonal metamorphism 352–360
Roberts, C.R., → Rollinson, H.R. 527–528
Rogers, N.W., → Coish, R.A. 51–65
Rollinson, H.R., Roberts, C.R.: Ratio correlations and major element mobility in altered basalts and komatiites – reply to K.J. Vines 527–528
Schliestedt, M., Matthews, A.: Transformation of blueschist to greenschist facies rocks as a consequence of fluid infiltration, Sifnos (Cyclades), Greece 237–250
Skippen, G.B., → Abercrombie, H.J., et al. 305–312
Smith, D.: Genesis of carbonate in pyrope from ultramafic diatremes on the Colorado Plateau, southwestern United States 389–396
Smith, P.E., Tatsumoto, M., Farquhar, R.M.: Zircon Lu–Hf systematics and the evolution of the Archean crust in the southern Superior Province, Canada 93–104
Stewart, D.C., → Mazzone, P., et al. 292–296
Tatsumoto, M., → Smith, P.E., et al. 93–104
Taylor, S.R., → McCulloch, M.T., et al. 183–195
Trommsdorff, V., → Mellini, M., et al. 147–155
Vines, K.J.: Comments on "Ratio correlations and major element mobility in altered basalts and komatiites" by H.R. Rollinson and C.R. Roberts 525–526
Voshage, H., Hunziker, J.C., Hofmann, A.W., Zingg, A.: A Nd and Sr isotopic study of the Ivrea zone, Southern Alps, N-Italy 31–42
Wall, V.J., → Powncby, M.I., et al. 116–126
Wall, V.J., → Powncby, M.I., et al. (Erratum) 539
Wang, G.-F., Banno, S.: Non-stoichiometry of interlayer cations in micas from low-to middle-grade metamorphic rocks in the Ryoke and the Sanbagawa belts, Japan 313–319
Wen, J., Bell, K., Blenkinsop, J.: Nd and Sr isotope systematics of the Oka complex, Quebec, and their bearing on the evolution of the sub-continental upper mantle 433–437
Wheeler, J.: The significance of grain-scale stresses in the kinetics of metamorphism 397–404
White, B.S., → Boettcher, A., et al. 297–304
Williams, I.S., Claesson, S.: Isotopic evidence for the precambrian provenance and Caledonian metamorphism of high grade paragneisses from the Seve Nappes, Scandinavian Caledonides. II. Ion microprobe zircon U–Th–Pb 205–217
Willmore, L.M., → Kerrich, R., et al. 156–168
Wyers, G.P., Barton, M.: Geochemistry of a transitional ne-trachybasalt – Q-trachyte lava series from Patmos (Dodecanesos), Greece: further evidence for fractionation, mixing and assimilation 279–291
Yamada, H., → Kitamura, M. 1–6
Zingg, A., → Voshage, H., et al. 31–42

Subject-Index V
List of Locations VIII

Indexed in Current Contents/
Abstracted in Mineralogical Abstracts